



STERNDRIIVE APPLICATIONS

OMC - OUTBOARD MARINE

MODEL 400, COBRA®

Model 400	Cobra®
2.3 L (120 HP)Thru 1991	2.3 L (128 HP)1988-91
2.5 L (120 HP)1978-84	2.5 L (120 HP)1985-87
3.0 L (140 HP)Thru 1989	3.0 L (140 HP)1985-87

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Workboats - (6-16)	14 R 11	3	382761	012047										
CR, HB - (14-26)	14 R 13	3	391668	011001										
19-22' - (24-37)	13-3/4 R 15	3	391198	011002	389949	013028	13-1/4 x 15	3	013076					
17-20' - (30-45)	13-1/4 R 17	3	391199	011003			13-1/4 x 17	3	013077		13-1/2 x 17	3	335031	
17-20' - (30-45)	13-3/8 R 17	3			389948	013030								
17-20' - (30-45)	14 R 17	3	176214	011024										
16-19' - (36-50)	13 R 19	3	390896	011004	389510	013033	13-1/4 x 19	3	013078		13-3/8 x 19	3	335032	
16-19' - (36-50)	14 R 19	3	176215	011025										
15-18' - (41-53)	12-3/4 R 21	3	389788	011005	389512	013034	13-1/4 x 21	3	013079		13-1/8 x 21	3	335033	
15-18' - (41-53)	14 R 21	3	176216	011026										

MODEL 800, KING COBRA®, COBRA®

3.0 L1990-93	3.8 L1978-85	5.0 L1978-93
3.2 L (Diesel)1992-93	4.3 L1985-93	5.8 L (Cobra)1989-93
Includes H.O. & EFI Models	Use Thrust Washer 126870	
(15 SPLINE & THRU HUB EXHAUST)		

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Non-Plane Heavy CR	15-1/2 R 10	3		011015										
Non-Plane Heavy CR	15-1/2 R 13	3	391536	011016										
22-26' - (22-32)	15-1/2 R 15	3	391535	011006										
19-24' - (28-35)	15 R 15	3			174926	013052	14-1/4 x 15	3	013064		14-7/8 x 15	3	345031	
19-24' - (28-35)	15 L 15	3			174927	013051	14-1/4 x 15	3		013065				
18-24' - (30-39)	15 R 17	3	391200	011007	391290	013044	14-1/4 x 17	3	013066		14-3/4 x 17	3	345032	
18-24' - (30-39)	15 L 17	3			431930	013043	14-1/4 x 17	3		013067	14-3/4 x 17	3		345062
17-20' - (36-44)	14-1/2 R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068		14-1/2 x 19	3	345033	
17-20' - (36-44)	14-1/2 L 19	3			390821	013045	14-1/4 x 19	3		013069	14-1/2 x 19	3		345063
16-19' - (40-49)	14-1/4 R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070		14-3/8 x 21	3	345034	
16-19' - (40-49)	14-1/4 L 21	3			390822	013047	14-1/4 x 21	3		013071	14-3/8 x 21	3		345064
15-20' - (45-56)	14-1/4 R 23	3	391203	011010	389019	013050	14-1/4 x 23	3	013072		14-1/4 x 23	3	345035	
15-20' - (45-56)							14-1/4 x 23	3		013073	14-1/4 x 23	3		345065
High Perf. - (50-60)							14-1/4 x 25	3	013074		14-1/4 X 25	3	345036	
High Perf. - (50-60)							14-1/4 x 25	3		013075				
16-19' High Perf.	Lifting Hulls									Ballistic 3 XL	14-1/2 x 22	3	345041	
15-18' High Perf.	Lifting Hulls									Ballistic 3 XL	14-1/2 x 24	3	345037	

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

► LIMITED INVENTORY ITEMS.



STERNDRIVE APPLICATIONS

OMC - OUTBOARD MARINE

MODEL 800, KING COBRA®, COBRA®

5.7 L1978-93 7.4 L1990-93 8.2 L1992-93
 5.8 L (King Cobra)1992-94 7.5 L1987-90
 Includes H.O. & EFI Models
 (15 SPLINE & THRU HUB EXHAUST) Use Thrust Washer **126870**

Boat	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless					Ballistic High Performance Stainless				
Length - (MPH)	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH		
Heavy CR - (25-32)	15-1/2 R 13	3	391536	011016												
22-28' - (30-27)	15-1/2 R 15	3	391535	011006												
19-26' - (33-39)	15 R 15	3			174926	013052	14-1/4 x 15	3	013064		14-7/8 x 15	3	345031			
19-26' - (33-39)	15 L 15	3			174927	013051	14-1/4 x 15	3		013065						
19-26' - (35-46)	15 R 17	3	391200	011007	391290	013044	14-1/4 x 17	3	013066		143/4 x 17	3	345032			
19-26' - (35-46)	15 L 17	3			431930	013043	14-1/4 x 17	3		013067	143/4 x 17	3		345062		
18-24' - (40-52)	14-1/2 R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068		14-1/2 x 19	3	345033			
18-24' - (40-52)	14-1/2 L 19	3			390821	013045	14-1/4 x 19	3		013069	14-1/2 x 19	3		345063		
17-22' - (46-60)	14-1/4 R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070		14-3/8 x 21	3	345034			
17-22' - (46-60)	14-1/4 L 21	3			390822	013047	14-1/4 x 21	3		013071	14-3/8 x 21	3		345064		
High Perf. - (51-66)	14-1/4 R 23	3	391203	011010	389019	013050	14-1/4 x 23	3	013072		14-1/4 x 23	3	345035			
High Perf. - (51-66)							14-1/4 x 23	3		013073	14-1/4 x 23	3		345065		
High Perf. - (55-66)							14-1/4 x 25	3	013074		14-1/4 x 25	3	345036			
High Perf. - (55-66)							14-1/4 x 25	3		013075						
High Performance										Ballistic 3 XL	14-1/2 x 22	3	345041			
High Performance										Ballistic 3 XL	14-1/2 x 24	3	345037			
High Performance										Ballistic 3 XL	14-1/2 x 26	3	345038			

OMC SAILDRIVE® (PIN DRIVE)

Saildrive

Boat Length - (MPH)	Diameter		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless			Ballistic High Performance Stainless				
	Rot. & Pitch	Blade#	OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
	10-1/2 R 10	3	376738	012027										

MODEL 14 LARGE GEARCASE 1967-77 (PIN DRIVE)

HP Range: 120 -245	14 R 11		3	382676	012089										
	14 R 12		3	382017	012090										
	14 R 14		3	381185	012091										
	14 R 16		3	381186	012092										
	14 R 18		3	381187	012093										
	14 R 20		3	383287	012094										

Suggestion: For twin installation increase pitch 2".

80-90 HP CYCLE SMALL GEARCASE 1968 (PIN DRIVE) • MARINE DRIVE SYSTEMS/RANGER

HP Range: 80-120	10-1/4 R 10		3	378040	012043										
	10 R 11		3	377978	012044										
	10 R 12		3	378039	012045										
	10 R 9-1/4		3	379260	◆ 012042										

Suggestion: For twin installation increase pitch 2".

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

◆ Small Hub Propeller - uses special nut part number 302001



STERNDRIVE APPLICATIONS

OMC - OUTBOARD MARINE

SEA DRIVE® 1982 & NEWER • 4-1/4" GEARCASE

1.6 L V-41982 & Newer 1.8 L V-41987 & Newer

For twin installation increase pitch 2".

Boat Length - (MPH)	Diameter Rot. & Pitch Blade#		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Barges, - HB - (1-18)	14	R 11	3	382761	012047									
26' and Up - (14-28)	14	R 13	3	391668	011001									
22-26' - (24-36)	13-3/4	R 15	3	391198	011002	389949	013028	13-1/4 x 15	3	013076	13-5/8 x 15	3	335030	
19-22' - (30-40)	13-1/4	R 17	3	391199	011003			13-1/4 x 17	3	013077	13-1/2 x 17	3	335031	
19-22' - (30-40)	13-3/8	R 17	3			389948	013030							
19-22' - (30-40)	14	R 17	3	176214	011024									
17-20' - (38-50)	13	R 19	3	390896	011004	389510	013033	13-1/4 x 19	3	013078	13-3/8 x 19	3	335032	
17-20' - (38-50)	14	R 19	3	176215	011025									
15-18' - (44-56)	12-3/4	R 21	3	389788	011005	389512	013034	13-1/4 x 21	3	013079	13-1/8 x 21	3	335033	
15-18' - (44-56)	14	R 21	3	176216	011026									

SEA DRIVE® 1982 & NEWER • 4-3/4" LARGE GEARCASE

2.0 L V-41989 & Newer 2.7 L V-61987 & Newer 3.6 L V-81987 & Newer

2.5 L V-61982-87 3.0 L V-61989 & Newer 4.0 L V-81989 & Newer

2.6 L V-61982 & Newer

Following suggestions based on Twin Engines - Deduct 4" pitch for single engine application.

Boat Length - (MPH)	Diameter Rot. & Pitch Blade#		Aluminum Part No.		Stainless Part No.		Rapture Performance Stainless				Ballistic High Performance Stainless			
			OEM	Michigan	OEM	Michigan	Dia. x Pitch	Blades	RH	LH	Dia. x Pitch	Blades	RH	LH
Barges, HB - (10-25)	15-1/2	R 13	3	391536	011016									
32-36' Twin - (24-34)	15-1/2	R 15	3	391535	011006									
32-36' Twin - (27-36)	15	R 15	3			174926	013052	14-1/4 x 15	3	013064	14-7/8 x 15	3	345031	
32-36' Twin - (27-36)	15	L 15	3			174927	013051	14-1/4 x 15	3	013065				
30-33' Twin - (30-40)	15	R 17	3	391200	011007	391290	013044	14-1/4 x 17	3	013066	14-3/4 x 17	3	345032	
30-33' Twin - (30-40)	15	L 17	3			431930	013043	14-1/4 x 17	3	013067	14-3/4 x 17	3		345062
27-30' Twin - (36-47)	14-1/2	R 19	3	391201	011008	389924	013046	14-1/4 x 19	3	013068	14-1/2 x 19	3	345033	
27-30' Twin - (36-47)	14-1/2	L 19	3			390821	013045	14-1/4 x 19	3	013069	14-1/2 x 19	3		345063
25-28' Twin - (42-54)	14-1/4	R 21	3	391202	011009	389923	013048	14-1/4 x 21	3	013070	14-3/8 x 21	3	345034	
25-28' Twin - (42-54)	14-1/4	L 21	3			390822	013047	14-1/4 x 21	3	013071	14-3/8 x 21	3		345064
23-25' Twin - (50-62)	14-1/4	R 23	3	391203	011010	389019	013050	14-1/4 x 23	3	013072	14-1/4 x 23	3	345035	
23-25' Twin - (50-62)	14-1/4	L 23	3					14-1/4 x 23	3	013073	14-1/4 x 23	3		345065
18-22' Twin - (56-68)								14-1/4 x 25	3	013074	013075	14-1/4 x 25	3	345036

FOR OMC COBRA® (1994 & NEWER), SX COBRA™, VOLVO PENTA SX™ SEE PAGE

Key to abbreviations: LL: Light Loads; SB: Sailboat; AL: All Loads; SK: Skiboat; WB: Workboat; HB: Houseboat; CR: Cruisers; HL: Heavy Loads; WD: Weedless

► LIMITED INVENTORY ITEMS.